

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL
 County: Grant Fraction NW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section Number 20 Township Number T 28 S Range Number R 37 **(E/W)**
 Distance and direction from nearest town or city? 2 miles west, Street address of well if located within city?

2 WATER WELL OWNER: Luther Faulkner
 RR#, St. Address, Box #: Ulysses, Ks. 67880
 City, State, ZIP Code: Ulysses, Ks. 67880
 Board of Agriculture, Division of Water Resources
 Application Number: 33540


3 DEPTH OF COMPLETED WELL... 533.8 ft. Bore Hole Diameter... 26 in. to 533.8 ft., and ... in. to ... ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below)
 10 Observation well
 Well's static water level 210 ft. below land surface measured on December month 7 day 1979 year
 Pump Test Data 1042 Well water was 272 ft. after 48 hours pumping 1042 gpm
 Est. Yield 1042 gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X
 7 Fiberglass Threaded
 Blank casing dia 16 in. to ~~XXXX~~ 342.6 ft., Dia in. to ... ft., Dia in. to ... ft.
 Casing height above land surface 24 in., weight 36.8 lbs./ft. Wall thickness or gauge No. 219
 TYPE OF SCREEN OR PERFORATION MATERIAL:
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia 16 in. to 533.8 ft., Dia in. to ... ft., Dia in. to ... ft.
 Screen-Perforated Intervals: From 342.6 ft. to 533.8 ft., From ... ft. to ... ft.
 Gravel Pack Intervals: From 10 ft. to 533.8 ft., From ... ft. to ... ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 0 ft. to 10 ft., From ... ft. to ... ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below) field
 13 Watertight sewer lines
 Direction from well ... How many feet ...? Water Well Disinfected? Yes No X
 Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample was submitted ... month ... day ... year: Pump Installed? Yes No X
 If Yes: Pump Manufacturer's name ... Model No. ... HP ... Volts ...
 Depth of Pump Intake ... ft. Pumps Capacity rated at ... gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on ~~November~~ DECEMBER month 12 day 1979 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 164
 This Water Well Record was completed on April month 2 day 1980 year under the business name of Houck Bros. Drilling Co. by (signature) M. Beard

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Surface	400	453	Brown, blue shale w/sand stone
2	30	Clay and fine sand			
30	100	Brown clay	453	461	Rock
100	140	Clay w/fine sand strips	461	468	Shale and sandstone
140	200	Gray & blue clay	468	478	Rock
200	245	Sandy clay & fine sand	478	534	Sandstone
245	257	Medium sand			
257	358	Sandy clay w/fine sand strips			
358	377	Medium to coarse sand			
377	390	Clay w/small sand strips			
390	400	Yellow chalk, blue shale			

ELEVATION: slope
 (s) Groundwater Encountered 1. 210 ft. 2. ... ft. 3. ... ft. 4. ... ft. (Use a second sheet if needed)
 INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and one for your records.

OFFICE USE ONLY
T
R
SEC.
20
NW 1/4 SW 1/4 NW 1/4

WATER RIGHT INFORMATION REPORT FOR : 33540 00

RIGHT TYPE: Appropriation

SOURCE: Groundwater USE: IRR

CURRENT STATUS: Certificate Issued

PRIORITY DATE: 29-OCT-79

CURRENT COMPLETE BY DATE: 31-DEC-81

COMPLETION ACKNOWLEDGED DATE: 21-DEC-81

CURRENT PERFECT BY DATE: 31-DEC-85

YEAR PERFECTED:

CERTIFICATE ISSUED DATE: 21-JAN-88

.....

APPLICANT(S):

> LUTHER G FAULKNER HCR 1 BOX 4094-5 SHELL KNOB MO 65747

> PERSON ID (Old Address Code): 5133

> CORRESPONDENT SEQUENCE NUMBER: 1

.....

WATER USE CORRESPONDENT(S):

> CSF LLC PO BOX 1003 ULYSSES KS 67880

> PERSON ID (Old Address Code): 59534

> CORRESPONDENT SEQUENCE NUMBER: 1

.....

ACTION TRAIL:

- 29-OCT-79 Pending Initial Review
- 18-FEB-80 Approved Pending Completion N+P BY 31-DEC-81 PERF BY 31-DEC-85
- 01-DEC-81 Sc
- 21-DEC-81 Completed Pending Inspection
- 15-OCT-87 Inspected Pending Perfection
- 15-OCT-87 Fir Cont Se Rec'D
- 21-JAN-88 Certificate Issued
- 21-JAN-88 Land Owner Chg - Luther G Faulkner & Mark Faulkner
- 21-JAN-88 Record Yr 1984 480 Gpm Norm
- 06-MAY-91 Land Owner Chg-Samuel Adams & Faulkner Real Estate
- 06-MAY-91 Corres & Wur From Luther Faulkner To Samuel Adams
- 06-AUG-91 F & O-Delete P/U & Reduce Qnty
- 13-MAY-92 Change Application For Place Of Use
- 25-NOV-92 Change Approved
- 06-JAN-93 Corres & Wur From Samuel Adams To Robert E & S Lorine Myers
- 06-JAN-93 Land Owner Chg-Robert E & S Lorine Myers
- 20-AUG-04 Name Chg-Robert E Myers Rev Trust
- 17-NOV-09 Landowner Chg - Sara Lorine Myers Rev Trust
- 17-NOV-09 Wur From Robert E Myers Rev Trust To Csf Llc
- 07-APR-16 Compliance Check/In Comp Id5 Pdiv 23610

.....

CONSERVATION CONTRACT ACTION TRAIL:

.....

CONSERVATION PLAN ACTION TRAIL:

- 13-MAY-92 Plan Required With Change Compliance date: 25-NOV-92
- 25-NOV-92 Approved Conservation Plan

.....

SPECIAL CONDITIONS:

.....

QUANTITIES:

>AUTHORIZED 160.000 AF ADDITIONAL 160.000 AF

.....

RATES:

>AUTHORIZED 480.000 gpm ADDITIONAL 480.000 gpm

.....

LIMITATIONS: None

.....

STORAGE QUANTITIES: No active storage quantities associated with IRR use under this water right

STORAGE RATES: No active storage rates associated with IRR use under this water right

.....

AUTHORIZED POINTS(S) OF DIVERSION

Section 20, T 28, R 37W, ID 5 (Internal PDIV_ID = 23610)

QUALIFIERS: NW SW NW

DIST. FROM SE CORNER: 3495 ft North 5250 ft West

NUMBER OF WELLS: 1

COMMENT:

OLD LONGITUDE: 101.397483 OLD LATITUDE: 37.604111

NEW LONGITUDE: 101.399165 NEW LATITUDE: 37.600636

GPS LONGITUDE: 101.399450 GPS LATITUDE: 37.600810

GPS FEET NORTH: 3566 GPS FEET WEST: 5333

COUNTY: GRANT

FIELD OFFICE: GARDEN CITY FIELD OFFICE

GMD : 3

BASIN: N F CIMARRON RIVER

STREAM:

SPECIAL_USE_AREA(S):

AQUIFER(S):

TEST INFORMATION:

> 05-AUG-87 480 gpm Field Inspection Test

METER ACTION TRAIL:

> 11-NOV-92 Meter Required GWMD Order Install by: 01-JUL-95

> 25-NOV-92 Meter Required BY Change Point of Diversion Install by: 31-DEC-93

METER INFORMATION:

Date Installed : Currently Installed? Y

> Manufacturer: MCCROMETER Model: MO308-1200

> Type: Propellor Serial No.: 95-8-1070N

> Meter Unit: Acre-feet Meter Size: 5 Inch Multiplier: .001

> Portable Pump Installation? N Multiple PDS? N Straightening Vanes? N

> Measuring Chamber? N Meter Comment: COMP CK=4-7-2016 SIZE=8.356

OVERLAPS:

.....

AUTHORIZED PLACE(S) OF USE

Section 20, T 28, R 37W, ID 3 (Internal PUSE_ID = 8341)

OWNER: SARA LORINE MYERS REV TRUST

Address:

** PO BOX 1003

** ULYSSES KS 67880

Total acres authorized = 40.00 Acres

| NE | NW | SW | SE |

NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
.00	.00	.00	.00	.00	.00	40.00	.00	.00	.00	.00	.00	.00	.00	.00	.00

COMMENT:

OVERLAPS:

Section 19, T 28, R 37W, ID 2 (Internal PUSE_ID = 8468)

OWNER: SARA LORINE MYERS REV TRUST

Address:

** PO BOX 1003

** ULYSSES KS 67880

Total acres authorized = 130.00 Acres

NE				NW				SW				SE			
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
32.50	32.50	32.50	32.50	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00

COMMENT:

OVERLAPS:

.....

WATER USE INFORMATION:

Year	Qualifiers	SC	ID	Date Rcvd	Hours	GPM	Acre-foot	Code	Ac_Irr	Date Msrd	Wtr_Dp	Well_Dp	Reel	Blip
2018	3495N	5250W	20	5			N/A		N/A	N/A				
2017	3495N	5250W	20	5 02-JAN-18			K N/A		N/A	N/A	4	24		
2017	3495N	5250W	20	5 02-JAN-18										
2016	3495N	5250W	20	5 02-JUN-17			K N/A		N/A	N/A	97	3551		
2015	3495N	5250W	20	5 01-FEB-16			K N/A		N/A	N/A	92	2465		
2014	3495N	5250W	20	5 29-JAN-15		14.0	A	120		N/A	N/A		88	2128
2013	3495N	5250W	20	5 28-FEB-14		95.0	A	120		N/A	N/A		84	750
2012	3495N	5250W	20	5 01-MAR-13		158.0	A	120		N/A	N/A		79	2556
2011	3495N	5250W	20	5 27-FEB-12		105.0	A	120		N/A	N/A		73	1524
2010	3495N	5250W	20	5 24-FEB-11		129.0	A	120		N/A	N/A		67	929
2009	3495N	5250W	20	5 25-FEB-10		85.0	A	80		N/A	N/A		61	1723
2008	3495N	5250W	20	5 02-MAR-09		3	N/A		N/A	N/A	56	760		
2007	3495N	5250W	20	5 18-FEB-08		500	66.0	A	82		N/A	N/A	48	1554
2006	3495N	5250W	20	5 23-MAR-07		500	98.0	A	82		225	N/A	44	1384
2005	3495N	5250W	20	5 03-FEB-06		350	26.0	A	160	01-JAN-93	250	N/A	36	273
2004	3495N	5250W	20	5 17-MAR-05		350	70.0	A	160	01-JAN-93	250	N/A	32	1850
2003	3495N	5250W	20	5 01-MAR-04	2200	350	116.0	A	160		250	N/A	25	3177
2002	3495N	5250W	20	5 06-MAR-03	2300	350	135.0	A	160	27-FEB-03	250	N/A	20	2392
2001	3495N	5250W	20	5 01-MAR-02	2100	350	97.0	A	160	31-JAN-02	210	533	14	1218
2000	3495N	5250W	20	5 02-MAR-01	745	350	44.0	A	160	27-FEB-01	210	533	8	975
1999	3495N	5250W	20	5 01-MAR-00	1250	350	14.0	G	160	26-FEB-00	210	533	4	318
1998	3495N	5250W	20	5 26-FEB-99	1269	350	75.0	A	160	13-FEB-99	210	533	94	1561
1997	3495N	5250W	20	5 01-APR-98	1827	350	137.0	A	160	28-MAR-98	210	553	89	2455
1996	3495N	5250W	20	5 05-MAR-97	2200	350	165.0	G	160	28-FEB-97	210	533	83	1424
1995	3495N	5250W	20	5 04-MAR-96	2423	350	176.0	7	160	01-APR-94	210	533	77	1491
1994	3495N	5250W	20	5 20-JAN-95	2304	350	148.5	G	160	01-APR-94	210	533	68	2284
1993	3495N	5250W	20	5 30-MAR-94	1600	480	141.4	G	160	01-APR-80	210	533	66	1841
1992	3495N	5250W	20	5 12-FEB-93	360	480	31.8	G	40	01-APR-80	210	533	58	1820
1991	3495N	5250W	20	5 13-JAN-92	120	350	7.7	G	33		N/A	N/A	50	1471
1990	3495N	5250W	20	5 28-AUG-91	75	485	6.7	G	38	01-JAN-87	210	534	48	927
1989	3495N	5250W	20	5 11-JAN-90	672	400	49.5	G	40		N/A	N/A	39	2142
1988	3495N	5250W	20	5	480	485	42.9	G	63		N/A	N/A	35	2881

Report Date Thursday, January 3 2019

1987	3495N	5250W	20	5	600	470	51.9	G	80
1986	3495N	5250W	20	5	1950	500	179.5	G	130
1985	3495N	5250W	20	5	1044	500	96.1	G	124
1984	3495N	5250W	20	5	2164	600	239.1	G	124
1983	3495N	5250W	20	5	1416	550	143.4	G	
1982	3495N	5250W	20	5	0	0	.0	0	
1981	3495N	5250W	20	5	2039	700	262.8	G	122
1980	3495N	5250W	20	5	1074	750	148.3	F	123

N/A	N/A	29	500
N/A	N/A	26	3489
N/A	534	21	3056
N/A	N/A	18	390
N/A	N/A	10	1276
N/A	N/A	0	0
N/A	N/A	4	1030
N/A	N/A	99	9999